



## LET YOUR HORSE TRAVEL IN STYLE

They say that dogs are a man's best friend, but when it comes to an enduring bond between animals and humans, horses beat dogs hands - or rather hooves down. Horses have been a part of our life for centuries, be it for travel, work, sport or leisure. Horses are more than pets, to people who love them, they are family. And now, finally we have the opportunity to pay back this noble creature - by letting him travel in style for a change.

#### INTRODUCING THE VENTER HORSE TRAILER.

Designed with one thing in mind - your horse. These safe comfortable trailers make light work of what could be a stressful situation for your animal. Let's face it, animals don't like to be transported. All that rocking, bumping, unsteadiness is enough to unnerve the most seasoned traveler. That is why, when we designed our trailers we made sure that every possible risk was addressed. From the breast and rear bars that secure the horses, to the non-slip heavy duty durable rubber flooring, ensuring they are always on a steady footing. We've even added padded vinyl partitions that offer extra protection for those bumpy rides.

#### COMFORT AND SAFETY

With the horses safely secured, we then looked to his comfort. We installed large windows to provide adequate natural light and roof vents to keep the horses cool. What's more. All precautions were taken to eliminate stressful noise and vibration. Not even the groom was ignored in these practical trailers, as all trailers are fitted with a lockable seat cabinet with its own door. And if you purchase the Royal Horse Box, it too has a choice of exits, as there are ramps at the front and rear.

The trailer body too, is designed for the utmost comfort and safety, as well as manageability. For a start, the auto-reverse coupler makes maneuvering the trailer as easy as steering a thirsty horse to water. Two independent Alko-Trailco axles ensure maximum stability and eliminate jarring. All of these features are encased in a sturdy body of 0.9mm corrosion resistant, rigidised zinc galvanised or electro-galvanised sheet steel, supported by a rigid floor construction of 2mm thick plates. The chassis and A-frame are constructed from heavy duty channels. All this ensures a comfortable, safe and, dare we say, aesthetically pleasing ride.

It's no wonder Venter Horse Trailers are approved by horse owners around the country, because they know that when they want to get their horses from A to B, the best way is to go straight to Venter.





Spare wheel holder



Secure front window



Jerry can holder







fluorescent



Front storage




Rear door



#### **Features**

- Front nose sports a new streamlined shape reducing wind resistance
- Improved ramp, fitted with double gaslifts and push-down foot pedal, for easier opening
- Interior light fitting
- Jerry can holder
- Large lockable rear door fitted above ramp, opening 270 deg
- Robust chassis, A-Frame and floor plates
- Three large windows, middle one protected by a sheet steel screen, two outside windows are fitted with open/close sliding facility
- Two air vents fitted on the roof of the trailer
- · Lockable, easily accessible spare wheel holder, fitted on top of modern improved mudguards
- Double jockey wheel 200mm dia
- Heavy duty rubber floor mats
- All doors and ramp have padlockable facilities
- Alko-Trailco coupler and axles
- Partition between horses of modern designed perforated steel screen, allowing horses to see each other and gain confidence
- Left and right insides of padded vinyl covered panels, fitted with fold-away beds
- Adjustable padded breast bars and rear padded panels to ensure safety of horses in transit
- Front storage compartment for fodder, grooming bags etc
- Body constructed from corrosion resistant rigidised zinc galvanised or Electro-galvanised steel, prime coated and quality white final paint is applied
- Convenient front door for groom



mensions	2 Berth
Height (over all)	2730 mm
Height	<b>2280</b> mm
Length (body)	<b>3370</b> mm
Length (over all)	<b>4695</b> mm
Width (inside)	1620 mm
Width (over all)	2 <b>250</b> mm
Ground Clearance	310 mm
	Height (over all) Height Length (body) Length (over all) Width (inside) Width (over all) Ground Clearance

Dimensions	2 Berth
Rear Ramp Height	1450 mm
Rear Ramp Width	1690 mm
Front Door Height	1900 mm
Front Door Width	675 mm

Technical Info	2 Berth
Tare Mass	<b>1180</b> kg
GVM	2800 kg
Pay Load	<b>1620</b> kg
Brakes	Run-in
Axle Length	2060 mm
Axle Capacity	1800 kg x 2
Axle type	Rubber suspension
Wheels	195 x 14 inch



Padded adjustable breast bar



Beds folded up and padded rear panels



Padded lockable rear panels





Beds folded up



Beds folded down



On the step and reaching for the handle



Opening the back door











Gaslift operated ramp

Ramp foot pedal for easier opening



Coupler and jockey wheel



Groom's door and sliding windows



Roof air vents







Coupler



Rubber floor




Horses in transit



2

### **Features**

- Front nose sports a new streamlined shape reducing wind resistance
- Improved ramps, fitted with double gaslifts and push-down foot pedal, for easier opening
- Interior light fitting
- Jerry can holder
- Large lockable rear door fitted above ramp, opening 270 deg
- Robust chassis, A-Frame and floor plates
- Three large windows, middle one protected by a sheet steel screen, two outside windows are fitted with open/close sliding facility
- Two air vents fitted on the roof of the trailer
- · Lockable, easily accessible spare wheel holder, fitted on top of modern improved mudguards
- Double jockey wheel 200mm dia
- Heavy duty rubber floor mats
- All doors and ramps have padlockable facilities
- Alko-Trailco coupler and axles
- Partition between horses comprised of modern designed perforated steel screen, allowing horses to see each other and gain confidence
- Left and right insides of padded vinyl covered panels, fitted with fold-away beds
- Adjustable padded breast bars and rear padded panels to ensure safety of horses in transit
- Front storage compartment for fodder, grooming bags etc
- Body constructed from corrosion resistant rigidised zinc galvanised or electro-galvanised steel, prime coated and quality final paint is applied
- Convenient front door for groom
- Large front ramp



Di	mensions	Royal
Α	Height (over all)	2850 mm
В	Height (body)	<b>2405</b> mm
С	Length (body)	<b>3825</b> mm
D	Length (over all)	<b>5000</b> mm
Ε	Width (inside)	1730 mm
F	Width (over all)	2365 mm
G	Ground Clearance	310 mm

Dimensions	Royal
Rear Ramp Height	1450 mm
Rear Ramp Width	1805 mm
Front Ramp Height	<b>2175</b> mm
Front Ramp Width	1060 mm
Front Door Height	<b>1900</b> mm
Front Door Width	650 mm

Technical Info	Royal
Tare Mass	<b>1240</b> kg
GVM	3200 kg
Pay Load	<b>1960</b> kg
Brakes	Run-in
Axle Length	2165 mm
Axle Capacity	1800 kg x 2
Axle type	Rubber suspension
Wheels	195 x 14 inch



Rear ramp with rigid Aluminium handles



Stepping up to open or close rear door



Opening the back door







Padded adjustable breast bar



Beds folded up and padded rear panels



Padded lockable rear panels



Interior fluorescent light



Front storage



Rear door



Spare wheel holder




Secure front window



Jerry can holder

## **Dealers**




### **Venter Trailer Manufacturing and Sales Roodepoort**

41 Granville Ave Tel: 0861 836 837 Lea Glen Fax: 011 472 2774

Roodepoort

Gauteng email: sales@ventertrailers.co.za

South Africa



## **Venter Trailer Sales Cape Town**

10 Santos Park Tel: 021 511 2180 414 Voortrekker Rd Fax: 021 510 5584

Maitland

Western Cape

South Africa

email: ventmarkcape@mweb.co.za




## **Venter Trailer Sales Midrand**

5A Furniture Gallery Tel: 011 312 1023
Richards Drive Fax: 011 312 1040

Midrand

Gauteng email: ventmark@mweb.co.za

South Africa




## **Venter Trailers Sales Randburg**

 197 Bram Fischer Drive
 Tel: 011 781 7772

 Randburg
 Fax: 011 781 7773

Gauteng

South Africa email: ventmark-ran@polka.co.za




### **Venter Trailer Sales Durban**

Units A & B Tel: 083 9920 704 117 Old Main Rd Fax: 031 569 3245

Pinetown

KwaZulu Natal email: ventmark-dbn@mweb.co.za

South Africa



## Venter Trailers Boksburg

Shop1 Venter Centre Tel: 011 826 1472
North Rand & Rietfontein Roads Fax: 011 826 3044


Boksburg

Gauteng email: fenter@icon.co.za

South Africa



## **Dealers**



## **Venter Trailers Lynwood**

950 Lynwood Road Tel: 012 807 5651 Willow Glen Fax: 086 654 1257

Pretoria

Gauteng email: jwbell@icon.co.za

South Africa




## **Venter Trailers Westgate**

Princess Shopping Centre Tel: 011 764 2114
Ontdekkers Road Fax: 011 764 2113

Roodepoort

Gauteng email: chrisbell@icon.co.za

South Africa



## **Sunnypark Motors**

630 Paul Kruger Str Tel: 012 335 1077/8 Eloffsdal Fax: 012 355 1064

Pretoria Gauteng South Africa



## Sue and Bryce McCall


 17 River Road
 Tel: 011 886 7366

 Riverbend Fourways
 Fax: 011 789 6522

Randburg

Gauteng email: sue@introye.com

South Africa



## **Venter Centre**

Dartfield Road Tel: 011 444 0282/3
Eastgate Ext. 12 Fax: 011 444 0284

Randburg

Gauteng email: ventercentre@mweb.co.za

South Africa

